


The Red Versa NIR Plane to Retrieve Broken-Cloud Optical Depth from Ground-Based Measurements



Filesize: 1.42 MB

Reviews

Very good e-book and helpful one. It is among the most awesome publication we have read. Its been developed in an remarkably simple way in fact it is simply right after i finished reading this book through which basically transformed me, affect the way i really believe.
(Prof. Kacey O'Hara)

THE RED VERSA NIR PLANE TO RETRIEVE BROKEN-CLOUD OPTICAL DEPTH FROM GROUND-BASED MEASUREMENTS

[DOWNLOAD](#)

To download **The Red Versa NIR Plane to Retrieve Broken-Cloud Optical Depth from Ground-Based Measurements** eBook, you should refer to the hyperlink below and download the document or have access to other information which are relevant to THE RED VERSA NIR PLANE TO RETRIEVE BROKEN-CLOUD OPTICAL DEPTH FROM GROUND-BASED MEASUREMENTS ebook.

BiblioGov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 32 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. A new method for retrieving cloud optical depth from ground-based measurements of zenith radiance in the RED and near infrared (MR) spectral regions is introduced. Because zenith radiance does not have a one-to-one relationship with optical depth, it is absolutely impossible to use a monochromatic retrieval. On the other side, algebraic combinations of spectral radiances such as NDCl while largely removing nonuniqueness and the radiative effects of cloud inhomogeneity, can result in poor retrievals due to its insensitivity to cloud fraction. Instead, both RED and NIR radiances as points on the RED vs. NIR plane are proposed to be used for retrieval. The proposed retrieval method is applied to Cimel measurements at the Atmospheric Radiation Measurements (ARM) site in Oklahoma. Cimel, a multi-channel sunphotometer, is a part of AERONET - a ground-based network for monitoring aerosol optical properties. The results of retrieval are compared with the ones from Microwave Radiometer (MWR) and Multi-Filter Rotating Shadowband Radiometers (MFRSR) located next to Cimel at the ARM site. In addition, the performance of the retrieval method is assessed using a fractal model of cloud inhomogeneity and broken cloudiness. The preliminary results look very promising both theoretically and from measurements. This item ships from La Vergne, TN. Paperback.



[Read The Red Versa NIR Plane to Retrieve Broken-Cloud Optical Depth from Ground-Based Measurements Online](#)



[Download PDF The Red Versa NIR Plane to Retrieve Broken-Cloud Optical Depth from Ground-Based Measurements](#)

See Also



[PDF] Yearbook Volume 15

Access the hyperlink beneath to get "Yearbook Volume 15" document.

[Save eBook »](#)



[PDF] Molly on the Shore, BFMS 1 Study score

Access the hyperlink beneath to get "Molly on the Shore, BFMS 1 Study score" document.

[Save eBook »](#)



[PDF] The Secret Life of Trees DK READERS

Access the hyperlink beneath to get "The Secret Life of Trees DK READERS" document.

[Save eBook »](#)



[PDF] When Santa Claus Prayed

Access the hyperlink beneath to get "When Santa Claus Prayed" document.

[Save eBook »](#)



[PDF] Animalogy: Animal Analogies

Access the hyperlink beneath to get "Animalogy: Animal Analogies" document.

[Save eBook »](#)



[PDF] The Day I Forgot to Pray

Access the hyperlink beneath to get "The Day I Forgot to Pray" document.

[Save eBook »](#)